


**40 mg Delta 8 Sucker**

<b>Batch ID:</b>	D840-122820-2	<b>Test ID:</b>	T000117806
<b>Type:</b>	Unit	<b>Submitted:</b>	01/06/2021 @ 10:36 AM
<b>Test:</b>	Potency	<b>Started:</b>	1/6/2021
<b>Method:</b>	TM14	<b>Reported:</b>	1/6/2021

**CANNABINOID PROFILE**


CBD	0.00%
CBDa	0.00%
delta 9 THC	0.03%
THCa	0.00%

Compound	LOQ (mg)	Result (mg)	Result (mg/g)
Delta 9-Tetrahydrocannabinolic acid (THCA-A)	0.61	ND	ND
Delta 9-Tetrahydrocannabinol (Delta 9THC)	0.69	4.78	0.3
Cannabidiolic acid (CBDA)	0.98	ND	ND
Cannabidiol (CBD)	0.95	ND	ND
Delta 8-Tetrahydrocannabinol (Delta 8THC)	0.76	47.88	2.7
Cannabinolic Acid (CBNA)	0.44	ND	ND
Cannabinol (CBN)	0.20	ND	ND
Cannabigerolic acid (CBGA)	0.64	ND	ND
Cannabigerol (CBG)	0.15	ND	ND
Tetrahydrocannabivarinic Acid (THCVA)	0.54	ND	ND
Tetrahydrocannabivarin (THCV)	0.14	ND	ND
Cannabidivarinic Acid (CBDVA)	0.41	ND	ND
Cannabidivarin (CBDV)	0.23	ND	ND
Cannabichromenic Acid (CBCA)	0.25	ND	ND
Cannabichromene (CBC)	0.27	ND	ND
<b>Total Cannabinoids</b>		<b>52.66</b>	<b>3.0</b>
<b>Total Potential THC**</b>		<b>4.78</b>	<b>0.3</b>
<b>Total Potential CBD**</b>		<b>ND</b>	<b>ND</b>

**NOTES:**

# of Servings = 1, Sample Weight=17.41542g

% = % (w/w) = Percent (Weight of Analyte / Weight of Product)

\* Total Cannabinoids result reflects the absolute sum of all cannabinoids detected.



\*\* Total Potential THC/CBD is calculated using the following formulas to take into account the loss of a carboxyl group during decarboxylation step.

$$\text{Total THC} = \text{THC} + (\text{THCa} * (0.877)) \text{ and}$$

$$\text{Total CBD} = \text{CBD} + (\text{CBDa} * (0.877))$$

ND = None Detected (Defined by Dynamic Range of the method)

**FINAL APPROVAL**

 Tyler Wiese 6-Jan-2021 5:05 PM	 Greg Zimpfer 6-Jan-2021 9:26 PM
--	--

PREPARED BY / DATE

APPROVED BY / DATE

Testing results are based solely upon the sample submitted to Botanacor Laboratories, LLC, in the condition it was received. Botanacor Laboratories, LLC warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of Botanacor Laboratories, LLC. ISO/IEC 17025:2005 Accredited A2LA Certificate Number 4329.02



Certificate #4329.02


**40 mg Delta 8 Sucker**

<b>Batch ID:</b>	D840-122820-2	<b>Test ID:</b>	T000117300
<b>Type:</b>	Other	<b>Submitted:</b>	12/31/2020 @ 10:21 AM
<b>Test:</b>	Metals	<b>Started:</b>	1/5/2021
<b>Method:</b>	TM19	<b>Reported:</b>	1/6/2021


**HEAVY METALS**

Analyte	Dynamic Range (ppm)	Result (ppm)
Arsenic	0.093 - 9.29	ND
Cadmium	0.093 - 9.32	ND
Mercury	0.096 - 9.59	ND
Lead	0.095 - 9.53	ND

\* ND = None Detected (Defined by Dynamic Range of the method)

**FINAL APPROVAL**  
Ryan Weems  
6-Jan-2021  
12:41 PM

PREPARED BY / DATE

  
Ben Minton  
6-Jan-2021  
4:05 PM

APPROVED BY / DATE

Testing results are based solely upon the sample submitted to Botanacor Laboratories, LLC, in the condition it was received. Botanacor Laboratories, LLC warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of Botanacor Laboratories, LLC.

## 40 mg Delta 8 Sucker

<b>Batch ID:</b>	D840-122820-2	<b>Test ID:</b>	T000117298
<b>Type:</b>	Edible	<b>Submitted:</b>	12/31/2020 @ 10:21 AM
<b>Test:</b>	Microbial Contaminants	<b>Started:</b>	12/31/2020
<b>Method:</b>	TM24, TM25, TM26, TM27, TM28	<b>Reported:</b>	1/3/2021

## MICROBIAL CONTAMINANTS

Contaminant	Result (CFU/g)*
<b>Total Aerobic Count**</b>	None Detected
<b>Total Coliforms**</b>	None Detected
<b>Total Yeast and Molds**</b>	None Detected
<b>E. coli</b>	Absent
<b>E. coli (STEC)</b>	None Detected
<b>Salmonella</b>	None Detected

\* CFU/g = Colony Forming Unit per Gram

\*\* Values recorded in scientific notation, a common microbial practice of expressing numbers that are too large to be conveniently written in decimal form.

Examples:  $10^2 = 100$  CFU  
 $10^3 = 1,000$  CFU  
 $10^4 = 10,000$  CFU  
 $10^5 = 100,000$  CFU

## NOTES:


Free from visual mold, mildew, and foreign matter

TYM: None Detected


Total Aerobic: None Detected

Coliforms: None Detected

## FINAL APPROVAL

  
Robert Belfon  
3-Jan-2021  
5:55 PM

PREPARED BY / DATE

  
Ben Minton  
3-Jan-2021  
10:52 PM

APPROVED BY / DATE

Testing results are based solely upon the sample submitted to Botanacor Laboratories, LLC, in the condition it was received. Botanacor Laboratories, LLC warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of Botanacor Laboratories, LLC. ISO/IEC 17025:2005 Accredited A2LA Certificate Number 4329.03. Testing associated with this certificate of analysis performed by an external ISO17025 accredited provider.



Certificate #4329.03

**40 mg Delta 8 Sucker**

<b>Batch ID:</b>	D840-122820-2	<b>Test ID:</b>	T000117299
<b>Type:</b>	Concentrate	<b>Submitted:</b>	12/31/2020 @ 10:21 AM
<b>Test:</b>	Pesticides	<b>Started:</b>	1/4/2021
<b>Method:</b>	TM17	<b>Reported:</b>	1/5/2021


**PESTICIDE RESIDUE**


Compound	Dynamic Range (ppb)	Result (ppb)	Compound	Dynamic Range (ppb)	Result (ppb)
Acephate	46 - 2577	ND*	Malathion	294 - 2577	ND*
Acetamiprid	46 - 2577	ND*	Metalaxyl	42 - 2577	ND*
Abamectin	>304	ND*	Methiocarb	41 - 2577	ND*
Azoxystrobin	47 - 2577	ND*	Methomyl	51 - 2577	ND*
Bifenazate	40 - 2577	ND*	MGK 264 1	188 - 2577	ND*
Boscalid	42 - 2577	ND*	MGK 264 2	133 - 2577	ND*
Carbaryl	43 - 2577	ND*	Myclobutanil	54 - 2577	ND*
Carbofuran	43 - 2577	ND*	Naled	51 - 2577	ND*
Chlorantraniliprole	36 - 2577	ND*	Oxamyl	52 - 2577	ND*
Chlorpyrifos	51 - 2577	ND*	Paclobutrazol	48 - 2577	ND*
Clofentezine	314 - 2577	ND*	Permethrin	250 - 2577	ND*
Diazinon	302 - 2577	ND*	Phosmet	47 - 2577	ND*
Dichlorvos	>296	ND*	Prophos	299 - 2577	ND*
Dimethoate	43 - 2577	ND*	Propoxur	45 - 2577	ND*
E-Fenpyroximate	306 - 2577	ND*	Pyridaben	289 - 2577	ND*
Etofenprox	43 - 2577	ND*	Spinosad A	31 - 2577	ND*
Etoxazole	306 - 2577	ND*	Spinosad D	79 - 2577	ND*
Fenoxycarb	>47	ND*	Spiromesifen	>262	ND*
Fipronil	43 - 2577	ND*	Spirotetramat	>334	ND*
Flonicamid	57 - 2577	ND*	Spiroxamine 1	17 - 2577	ND*
Fludioxonil	>293	ND*	Spiroxamine 2	22 - 2577	ND*
Hexythiazox	47 - 2577	ND*	Tebuconazole	277 - 2577	ND*
Imazalil	283 - 2577	ND*	Thiacloprid	46 - 2577	ND*
Imidacloprid	45 - 2577	ND*	Thiamethoxam	43 - 2577	ND*
Kresoxim-methyl	46 - 2577	ND*	Trifloxystrobin	43 - 2577	ND*

\* ND = None Detected (Defined by Dynamic Range of the method)

N/A

**FINAL APPROVAL**

 Sam Smith  
 5-Jan-2021  
 2:28 PM

 Ben Minton  
 5-Jan-2021  
 6:39 PM

PREPARED BY / DATE

APPROVED BY / DATE

Testing results are based solely upon the sample submitted to Botanacor Laboratories, LLC, in the condition it was received. Botanacor Laboratories, LLC warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of Botanacor Laboratories, LLC.